



INDUSTRIAL / WORKPLACE ANTI FATIGUE MAT

Anti-fatigue mats are widely used in all sorts of working conditions where lengthy periods of standing are required. These mats are designed to reduce fatigue caused by prolonged standing on a hard surface. Use of anti-fatigue mats decrease foot and lower limb disorders caused by standing in one position for long periods.

Anti-fatigue mats are widely used in all sorts of working conditions where lengthy periods of standing are required. These mats are designed to reduce fatigue caused by prolonged standing on a hard surface. Use of anti-fatigue mats decrease foot and lower limb disorders caused by standing in one position for long periods.





يوروربرتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

CUSHION EASE BUBBLE MAT

Bubble top anti fatigue mat is the most functional and popular type in the category. It features a unique raised rubber dome design that makes it



SIZES :

45 X 75CM

60 X 60 CM

80 X 120CM

90 X 150CM

WEIGHT

2.2KG

3.5KG

7KG

12.3KG



یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

COMFORT LOCK MAT

Comfort mats are widely used to cover large work areas in industries and sales points. Mats with four side edging can be used as a single piece for individual purposes. Large areas can be covered

using mats
that have
puzzle
connectors.



SIZES :

71 X 78CM TAPER EDGED

71 X 78CM WITH PUZZLE
CONECTORS

WEIGHT

4.4KG

4.4 KG



RAMP MAT

Ramp mat is a traditional anti fatigue mat with holes. Besides giving a cushioning effect to the feet, this serves the purpose of giving an anti-slip surface for workshops and service areas where the floor might be slippery with fluids and oils.

| Sizes | Weight |
|----------|--------|
| 60x90cm | 3.5kg |
| 80x120cm | 5.5kg |
| 90x150cm | 8.7kg |





يوروربورتيتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SOLID TOP ANTI FATIGUE MAT

This is an ideal work place anti fatigue mat. A single piece can be used with 4 side yellow /black edging as per safety regulations. Larger areas can be covered with the male female connectors





یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

OPEN TOP ANTI FATIGUE MAT



Open top is a fast moving anti fatigue mat widely used in wet and oily working conditions. The anti-slip pattern on the top provides grip while standing and the studs on the bottom gives ease when working long hours.

| Sizes | Weight |
|---------------|--------|
| 60x90x14mm | 3.5kg |
| 90x90cmx14mm | 5.7kg |
| 90x90x12mm | 4.4kg |
| 90x150cmx12mm | 9kg |



يوروربورتيتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

OPEN TOP ANTI-FATIGUE MAT WITH GRIT

The glued silicon carbide on the top of this mat provides a grit top surface with extra grip especially for oily working conditions. The holes on the top promote efficient drainage of fluids and oil. Nitrile version is also available which is resistant to oil and grease. The studs at bottom enhance the level of comfort and safety.



Sizes

Weight

| | |
|---------------|-------|
| 60x90x14mm | 3.5kg |
| 90x90x12mm | 4.4kg |
| 90x90cmx14mm | 5.7kg |
| 90x150cmx12mm | 9kg |





یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

3 SQUARE ANTI FATIGUE MAT

This is a new patented version of open top antifatigue mat. This is suitable for wet and oily work areas and factories.

Sizes **Weight**

90x90cm 4.8kg





CAPSULE GRIP WELDING MAT

This is recommended as a welding base and for similar industrial use. Fire retardant version is most suitable for this purpose. Use of this mat prevents tripping and slip hazard.

| Sizes | Weight |
|----------|--------|
| 45x70cm | 1.6kg |
| 45x75cm | 1.8kg |
| 60x90cm | 3.4kg |
| 90x150cm | 9.7kg |



يوروربرتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

RUBBER ROLLS

Rubber rolls in different shades and thickness are most suitable for varying purposes. Both standard and reinforced sheeting can be supplied based on the type of the floor and expected advantages.

Sizes

Thickness 1m width and 10-20m length 1.5mm, 3mm, 6mm & 10mm

Available colors :.






یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

Garage mats

This section showcases different kinds of interlocking mats suitable for the flooring warehouse.



Finish Anti-slip Elephant skin

Thickness 25mm

Size 50 x 50cm Weight 4.6kg

Surface finish Anti slip hollow finish

Thickness 16mm Size 50 x 50cm

Weight - 2kg

Surface finish studded top and antislip bottom

Thickness 17mm Size 1m x1m Weight 16kg

Surface finish Checker plate top and plain bottom

Thickness 12mm Size 1m x1m

Weight 11.5k



یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SPORTS FLOORING

Rubber is a versatile material and modern technology has helped us to convert this natural resource for sports flooring. Different varieties are available for varied uses in the sports sector. It is now widely used in gymnasiums, play grounds of



child
ren,
phys
ical
train
ing
cent
ers,
ski
reso

rts, near swimming pools, exercise areas etc. Rubber tiles are used for covering outdoor sports floor area of badminton and volley ball courts.



يوروربـرتيتش انـترناشيونـال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SOLID TOP GYM MAT

Rubber flooring is perfect for gymnasiums because it prevents slipping and gives comfort and safety. The anti-slip top give excellent grip during exercise and the studs at bottom provides a cushioning effect. It minimizes damage to the knees and ankles and reduces the shock to leg joints. The edging is also available in black or yellow color to close the ends while installing the mats.

Sizes

90x90cm

Weight

8.7kg



Bottom pattern



يوروربريتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SOLID TOP MULTIPLIER


The usage of multiplier is same as the solid top. This can be used where thick rubber flooring is required. The holes at the bottom provide cushioning and comfort.

Sizes

90x90cm

Weight

15.5kg



BOTTOM PATTERN



يوروربورتيتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SAFE-LOCK PLATINUM TILE

Safe lock is also recommended for gymnasium floors. The small size of the mat helps in installation, easy cleaning and maintenance. The size also helps in reducing wastage during installation.

| Sizes | Weight |
|-------|--------|
|-------|--------|

| | |
|---------|-------|
| 50x50cm | 4.6kg |
|---------|-------|





يوروربرتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

TOUGH TREAD GYM TILE

Tough tread is recommended for covering the floor of large gymnasiums. The large size helps to increase the stability of the floor. It prevents damage to the floor and mutes noise.

Sizes Weight

4'x6' 36kg



يوروربـرتيتش انـترناشيونـال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SAFE-LOCK CHECKER TILES:

This is most suitable for aerobic exercise areas, change rooms, and wherever light weight flooring is required.

Sizes Weight

1mx1m 11.5kg





يورو ربرتيكش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SAFE-LOCK STUDDED TILE :

This is a heavier version of the gym tile, recommended for weight lifting areas and below the exercise machines

| Sizes | Weight |
|-------|--------|
|-------|--------|

| | |
|-------|--------|
| 1mx1m | 15.5kg |
|-------|--------|





یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

GROOVY COMFORT WEIGHT ROOM TILES :

The large size of the mat provides extra grip and stability of the floor. It dampens sounds and absorbs shock.

| Sizes | Weight |
|------------------------|--------|
| 1.22mx1.83mx17mm(ECO) | 34kg |
| 1.22mx1.83mx17mm(STD) | 36kg |
| 1.22mx1.83mx12mm(STD) | 24kg |
| 1.22mx1.83mx12mm(ECO) | 23kg |



يوروربورتيتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

OUTDOOR SPORTS TILE

The black color versions of these mats are recommended for outdoor sports areas like badminton courts.

Black Green Blue clours are available





يوروربورتيتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

LIVE STOCK FLOOR COVERINGS

A stress free caging system with proper sanitation is crucial in the physical environment of farm animals. This helps in preventing the development and transmission of diseases. Rubber flooring mats ensure a totally clean, sterile and smell free environment. These mats give a soft, warm, and comfortable bedding to the animal. The wet and soiled materials on the top can be removed quickly. It provides a much drier environment for the hooves.





STABLE MATS GROOVY COMFORT

These mats are available in 2 versions, standard and economy. Standard is the heavier version with shallow grooves and extra strength.

| Sizes | Weight |
|-------------------------|---------------|
| 1.22mx1.83mx17mm(ECO) | 34kg |
| 1.22mx1.83mx17mm(STD) | 36kg |
| 1.22mx1.83mx12mm(STD) | 25kg |
| 1.22mx1.83mx12mm(ECO) | 24kg |
| 1.22mx1.83mx10mm (STD) | 24kg |



يوروربرتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

STABLE MATS STUDED COMFORT :

The studs at bottom of these mats give extra cushioning and anti-slip top provides comfort and safety.

| Sizes | Weight |
|------------------|--------|
| 1.22mx1.83mx17mm | 36kg |
| 1.22mx.91m x17mm | 18kg |



low



bubble



Amebic



plain



Checker




يوروربريتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C



Narrow Groove

INTERLOCKING STABLE MATS TOUGH-TREAD COMFORT :



This is the interlocking version of the stable mat.
The pattern is grooves at the bottom and two top
designs. Interlocking ramps are also available.



Sizes

1.22mx1.83m

Weight

36kg



يوروربرتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C



Hammer Blow

TRAILER MATS TRAILER COMFORT :

Trailer mats are used for making horse box /trailer entry ramps. These mats are molded with grip lines across the surface interspersed with large bars. This gives a totally slip-proof footing for the horses.

Sizes

1.22mx1.83m

Weight


25kg





CUBICLE COW MATS :

The productivity of cows is directly proportional to their comfort and living conditions. It is especially important for the cows to be comfortable when they are lying down. Rubber cow mats protect the cows from hard and cold floor. Damaged concrete surfaces pose a tripping hazard and could easily injure the animal. The surface of the cow mats are anti-slip and this will reduce the risk of falling and slipping. The use of cow mats will increase the yield of milk and meat. A humid and dirty barn is the breeding ground for bacteria that can cause infection and diseases. The use of rubber mats gives safe and sterile bedding to the animal. These mats are easy to install and clean.





يوروربرتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

CUBICLE COW MATS HOLEY & STUDDED



Sizes

1.83mx1.22m

1.83mx1.15m

Weight

39kg


38kg



یورو ربرٹیتش انٹرنیشنل ڈ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

INTERLOCKING COW MATS :

This is the interlocking version of cow mats. The interlocking system provides easy installation and improved floor strength. This helps to cover large barns with a greater number of cows.




HameerBlow 28 mm thk



يوروربريتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

INTERLOCKING COW MATS TOUGH LOCK HOLEY & STUDDED



| Sizes | Weight |
|-------------|--------|
| 1.83mx1.22m | 46kg |
| 1.83mx1.15m | 45kg |



یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

PETBOWL MATS KITTY



Sizes

30 x 45 cm

Weight

1.1 kg

RUBBER KENNEL MATS



Sizes

90 x90cmx16mm

Weight

8.7 kg



يوروربريتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

MULTI UTILITY HOLLOW MATS

Hollow mats are widely used for varied purposes like entrance mat, swimming pool mat, mat for children's play area, mat for muddy fields, mat for wet areas etc, thus it is a multi-utility hollow mat.



Hollow mat Universal type

Sizes

100x150cmx22mm

Weight

13.5 , 11.2kg



يوروربريتيش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C


| | |
|----------------|--------|
| 100x150cmx16mm | 11.2kg |
| 80x120cmx22mm | 7.5kg |
| 80x120cmx16mm | 6kg |
| 50x100cmx22mm | 3.5kg |
| 50x100cmx16mm | 2.5kg |
| 40x60cmx22mm | 1.5kg |
| 40x60cmx16mm | 1kg |
| 40x60cmx12mm | 0.85kg |
| 50x50cmx16mm | 2kg |
| 60x80cmx22mm | 4kg |
| 50x80cmx22mm | 3kg |
| 50x80cmx16mm | 2.1kg |
| 45x75cmx22m | 2.5kg |
| 45x75cmx16m | 2kg |
| 40x80cmx22mm | 2.2kg |
| 40x80cmx16mm | 2kg |



يوروربورتيتش انترناشيونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

HOLLOW MAT OCTAGONAL TYPE

Octagonal type is the heavy version in hollow mats. It is widely used in ski stations and industries having oily and wet floors.




| Sizes | Weight |
|----------------|--------|
| 40x60cmx22mm | 2kg |
| 100x150cmx22mm | 15.5 |



یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

HOLLOW MAT UNIVERSAL TYPE INTERLOCKING



Interlocking version is useful for covering long areas. The tough locking system prevents tripping hazard and it is ease to install.

Sizes

1mx1mx22mm

Weight

10kg





يوروربـرتيتش انـترناشيونـال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SCRAPER MATS

Scraper mats are recommended for high traffic outdoor entrances. The raised scrapers trap dirt and debris. The anti-slip bottom holds the mat in place and eliminates mildew build up. The tapered edges prevents tripping hazard.





SCRAPER MAT CAPSULE

The capsule designed scrapers give high dust removal and prevents from slipping hazard. The textured finish of the capsule provides extra grip and finishing. The tapered edge is a safe guard against any chances of tripping.


| Sizes | Weight |
|----------|--------|
| 45x70cm | 1.6 |
| 45x75cm | 1.8 |
| 60x90cm | 3.45 |
| 90x150cm | 9.75 |



يوروربـرتيتش انـترناشيونـال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SCRAPER MAT CRISS CROSS

The criss-cross pattern at the top gives an elegant look to the mat in addition to the high scraping effect



| Sizes | Weight |
|----------|--------|
| 90x150cm | 10.5kg |



یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

SCRAPER MAT WAVY

The wavy design of the mat with holes at the bottom provides high scraping and proper drainage of water.



| Sizes | Weight |
|----------|--------|
| 90x150cm | 10kg |
| 60x90cm | 3.5kg |



یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C

RAMP MATS

| Sizes | Weight |
|----------|--------|
| 90x150cm | 8.7kg |
| 60x90cm | 3.5kg |
| 80x120cm | 5.5kg |



ARROW SCRAPER MAT

| Sizes | Weight |
|---------|--------|
| 60x90cm | 3.4kg |
| 40x70cm | 2.5kg |



Holey scraper mat

| Sizes | Weight |
|---------|--------|
| 60x90cm | 3.7kg |
| 45x75cm | 1.8kg |





یورو ربرتیتش انترناشیونال ذ.م.م
EURO RUBBERTECH INTERNATIONAL L.L.C


MAZE SCRAPER MAT

Sizes

90x150cm

Weight

9kg



MULTI UTILITY RUBBER MAT


As the name indicates, this mat has multiple utilities as entrance mats, scraper mats and most importantly as natural flooring for pick up vans and trucks.

Sizes

120x180cm


Weight

17.5kg






يوروربريتش انترناشيونال ذ.م.م EURO RUBBERTECH INTERNATIONAL L.L.C



Rub-Poly Scraper Mats

Polypropylene is a thermo static polymer. It is used in the production of items that requires flexibility and toughness. In rub-poly scraper mat, the benefits of polypropylene and rubber are integrated for getting high durability, flexibility and elegance. These mats are more resistant to fatigue than any other mats. They resist most chemicals and are excellent weather proof mats which can withstand wear from mildew, rot and weather. They are easy to clean and washable.



Available Colours



Code | RP 01



Code | RP 02



Code | RP 03



Code | RP 04



Code | RP 05



Code | RP 06



Code | RP 07



Code | RP 08

Technical Specification

| | |
|------------------------|---|
| Material composition | Polypropylene top and rubber backing |
| Surface finish | Anti slip fabric finish |
| Product thickness | 9mm |
| Utility recommendation | As entrance mats of home and commercial establishments. |
| Method of installation | Lay flat on the designated area |
| Maintenance | Vacuum cleaning / wash with lukewarm water |

Sizes

| Sizes | Weight |
|-----------|--------|
| 180x120cm | 10.2kg |
| 90x150cm | 5.7kg |
| 80x120cm | 4.3kg |
| 60x90cm | 2.7kg |
| 45x75cm | 1.5kg |
| 40x70cm | 1.4kg |
| 40x60cm | 1.2kg |



يوروربريتيش انترناشيونال ذ.م.م EURO RUBBERTECH INTERNATIONAL L.L.C



Code
FPR56 | Size: 45X75cm
Weight: 1.5kg



Code
FPR71 | Size: 45X75cm
Weight: 2kg



Code
FPR42 | Size: 45X75cm
Weight: 1.5kg



Code
FPR41 | Size: 45X75cm
Weight: 1.5kg



Eco-Poly Scraper Mats

Taking the responsibility of recycling, these mats are made of tyre crumb backing. The anti-slip crumb finishing gives extra grip to the floor and prevents movement of the mat. All advantages are similar to that of rub-poly scraper mats.

Code | **FPR 18**

FPR 03 and 09 are available in these sizes.

Please check the size availability of other designs before confirming the order.



| Sizes | Weight |
|---------|--------|
| 60x90cm | 2.7kg |
| 45x75cm | 1.5kg |
| 40x70cm | 1.4kg |
| 40x60cm | 1.2kg |

Technical Specification

| | |
|------------------------|---|
| Material composition | Polypropylene top and tyre crumb backing |
| Surface finish | Anti slip fabric finish |
| Product thickness | 10mm |
| Utility recommendation | As entrance mats of home and commercial establishments. |
| Method of installation | Lay flat on the designated area |
| Maintenance | Vacuum cleaning / wash with lukewarm water. |

Available Colours



Code | **EP 01**



Code | **EP 02**



Code | **EP 03**



Code | **EP 04**



Code | **EP 05**



Code | **EP 06**



Code | **EP 07**



Code | **EP 08**



Code | **EP 09**



Code | **EP 10**



Code | **FPR 62** | Size: 60x90cm
Weight: 2.7kg



Code | **FPR 64** | Size: 60x90cm
Weight: 2.7kg



یورو ربرتیتش انترناشیونال ذ.م.م EURO RUBBERTECH INTERNATIONAL L.L.C



Code
FPR18 | Size: 60x90cm
Weight: 2.7kg



Code
FPR39 | Size: 45X75cm
Weight: 1.8kg



Code
FPR65 | Size: 60x90cm
Weight: 2.7kg



Code
FPR69 | Size: 60x90cm
Weight: 2.8kg